

L Number	Hits	Search Text	DB	Time stamp
-	58932	(photoresist or resist) near15 (thickness or thick or wide or wider or width or length or micron or microns or "mu m" or micrometer or micrometers or angstrom or angstroms or "nm" or nanometer or nanometers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:23
-	3823	((photoresist or resist) near15 (thickness or thick or wide or wider or width or length or micron or microns or "mu m" or micrometer or micrometers or angstrom or angstroms or "nm" or nanometer or nanometers)) same (implant\$5 or halo or pocket or pockets)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:29
-	150	((photoresist or resist) near15 (thickness or thick or wide or wider or width or length or micron or microns or "mu m" or micrometer or micrometers or angstrom or angstroms or "nm" or nanometer or nanometers)) same (halo or pocket or pockets)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:37
-	60375	(photoresist or resist) near15 (thickness or thick or wide or wider or width or length or micron or microns or "mu m" or "mu.m" or "mu.m." or micrometer or micrometers or angstrom or angstroms or "nm" or nanometer or nanometers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:30
-	26640	(photoresist) near15 (thickness or thick or wide or wider or width or length or micron or microns or "mu m" or "mu.m." or "mu.m." or micrometer or micrometers or angstrom or angstroms or "nm" or nanometer or nanometers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:37
-	62	((photoresist) near15 (thickness or thick or wide or wider or width or length or micron or microns or "mu m" or "mu.m." or "mu.m." or micrometer or micrometers or angstrom or angstroms or "nm" or nanometer or nanometers)) same (halo or pocket or pockets)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:30
-	27066	(photoresist) near15 (height or thickness or thick or wide or wider or width or length or micron or microns or "mu m" or "mu.m." or micrometer or micrometers or angstrom or angstroms or "nm" or nanometer or nanometers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:37
-	65	((photoresist) near15 (height or thickness or thick or wide or wider or width or length or micron or microns or "mu m" or "mu.m." or "mu.m." or micrometer or micrometers or angstrom or angstroms or "nm" or nanometer or nanometers)) same (halo or pocket or pockets)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:38
-	3	((((photoresist) near15 (height or thickness or thick or wide or wider or width or length or micron or microns or "mu m" or "mu.m." or "mu.m." or micrometer or micrometers or angstrom or angstroms or "nm" or nanometer or nanometers)) same (halo or pocket or pockets)) not (((photoresist) near15 (thickness or thick or wide or wider or width or length or micron or microns or "mu m" or "mu.m." or "mu.m." or micrometer or micrometers or angstrom or angstroms or "nm" or nanometer or nanometers)) same (halo or pocket or pockets))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:10
-	0	6426262.URPN.	USPAT	2004/05/11 10:46

	2	("5705410"   "6083794").PN.	USPAT	2004/05/11 10:46
	10	5705410.URPN.	USPAT	2004/05/11 10:48
	0	6489223.URPN.	USPAT	2004/05/11 10:49
	29	("4466178"   "5155369"   "5240874"   "5355006"   "5376566"   "5424229"   "5439835"   "5504358"   "5518942"   "5705410"   "5783457"   "5888887"   "5915195"   "5920776"   "5943576"   "5960291"   "5970353"   "5972745"   "6008094"   "6020244"   "6030871"   "6083794"   "6107129"   "6121096"   "6159790"   "6168637"   "6190980"   "6200863"   "6218250").PN.	USPAT	2004/05/11 10:50
	0	6271565.URPN.	USPAT	2004/05/11 13:02
	24	("Re35036"   "4232439"   "5188975"   "5190887"   "5198384"   "5240874"   "5344787"   "5346841"   "5355006"   "5382540"   "5386131"   "5416349"   "5429960"   "5432107"   "5441910"   "5496747"   "5705410"   "5770502"   "5783457"   "5851886"   "5891774"   "5915185"   "5920776"   "6083794").PN.	USPAT	2004/05/11 13:02
	11322	photoresist near15 ("0.1" or "0.2" or "0.15" or "0.10" or "0.100" or "0.150" or "0.20" or "0.200" or "100" or "200" or "150" or "1000" or "2000" or "1500")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:13
	4731	photoresist near15 ("0.1" or "0.2" or "0.15" or "0.10" or "0.100" or "0.150" or "0.20" or "0.200" or "100" or "200" or "150" or "1000" or "2000" or "1500") near3 ("mu m" or "mu.m" or ".mu.m." or ".ang." or "a" or "nm" or micron or microns or micrometer or micrometers or nanometer or nanometers or angstrom orangstroms)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:29
	3886	photoresist near15 ((0.1" or "0.2" or "0.15" or "0.10" or "0.100" or "0.150" or "0.20" or "0.200" or "100" or "200" or "150" or "1000" or "2000" or "1500")) near2 ("mu m" or "mu.m" or ".mu.m." or ".ang." or "a" or "nm" or micron or microns or micrometer or micrometers or nanometer or nanometers or angstrom or angstroms))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:29
	30810	(halo or pocket or ldd or ((light or lightly) near2 (dope or doped or doping)) or implant\$4) near15 (photoresist or mask or resist)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:28
	105	(photoresist near15 ((0.1" or "0.2" or "0.15" or "0.10" or "0.100" or "0.150" or "0.20" or "0.200" or "100" or "200" or "150" or "1000" or "2000" or "1500")) near2 ("mu m" or "mu.m" or ".mu.m." or ".ang." or "a" or "nm" or micron or microns or micrometer or micrometers or nanometer or nanometers or angstrom or angstroms))) same ((halo or pocket or ldd or ((light or lightly) near2 (dope or doped or doping)) or implant\$4) near15 (photoresist or mask or resist))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:31

	4406	photoresist near15 (( "0.1" or "0.2" or "0.15" or "0.10" or "0.100" or "0.150" or "0.20" or "0.200" or "100" or "200" or "150" or "1000" or "2000" or "1500") near2 ("mu m" or "mu.m" or ".mu.m." or ".ang." or "ang" or "a" or "nm" or micron or microns or micrometer or micrometers or nanometer or nanometers or angstrom or angstroms))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:15
	134	(photoresist near15 (( "0.1" or "0.2" or "0.15" or "0.10" or "0.100" or "0.150" or "0.20" or "0.200" or "100" or "200" or "150" or "1000" or "2000" or "1500") near2 ("mu m" or "mu.m" or ".mu.m." or ".ang." or "ang" or "a" or "nm" or micron or microns or micrometer or micrometers or nanometer or nanometers or angstrom or angstroms))) same ((halo or pocket or ldd or ((light or lightly) near2 (dope or doped or doping)) or implant\$4) near15 (photoresist or mask or resist))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:31
	29	((photoresist near15 (( "0.1" or "0.2" or "0.15" or "0.10" or "0.100" or "0.150" or "0.20" or "0.200" or "100" or "200" or "150" or "1000" or "2000" or "1500") near2 ("mu m" or "mu.m" or ".mu.m." or ".ang." or "ang" or "a" or "nm" or micron or microns or micrometer or micrometers or nanometer or nanometers or angstrom or angstroms))) same ((halo or pocket or ldd or ((light or lightly) near2 (dope or doped or doping)) or implant\$4) near15 (photoresist or mask or resist))) not ((photoresist near15 (( "0.1" or "0.2" or "0.15" or "0.10" or "0.100" or "0.150" or "0.20" or "0.200" or "100" or "200" or "150" or "1000" or "2000" or "1500") near2 ("mu m" or "mu.m" or ".mu.m." or ".ang." or "a" or "nm" or micron or microns or micrometer or micrometers or nanometer or nanometers or angstrom or angstroms))) same ((halo or pocket or ldd or ((light or lightly) near2 (dope or doped or doping)) or implant\$4) near15 (photoresist or mask or resist)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:40
	2	"62163374"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:45
	3	"06196492"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:46
	2	("5639687"), PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:14
	0	("(ionnear3stop\$5near3power)near15photoresist")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:14
	16801	(punch or stop\$4) near15 (photoresist or mask or resist)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:15

	53	(photoresist near15 (("0.1" or "0.2" or "0.15" or "0.10" or "0.100" or "0.150" or "0.20" or "0.200" or "100" or "200" or "150" or "1000" or "2000" or "1500") near2 ("mu m" or "mu.m" or ".mu.m." or ".ang." or "ang" or "a" or "nm" or micron or microns or micrometer or micrometers or nanometer or nanometers or angstrom or angstroms)) same ((punch or stop\$4) near15 (photoresist or mask or resist))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:18
	4	(ion near3 stop\$5 near3 power) near15 photoresist	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:20
	3	(ion near3 stop\$5 near3 power) near15 (silicide or suicide or salicide)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:21
	9	(ion near3 stop\$5 near3 power) near15 (silicon)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:30
	70	halo near3 implant\$3 near3 (mask or masks)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:18
	0	6624035.URPN.	USPAT	2004/05/11 14:34
	0	6569606.URPN.	USPAT	2004/05/11 14:35
	43	photoresist near15 (pn adj junction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:19
	2	(concentration with junction) same halo same photoresist	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:29
	6	(concentration with junction) same (punch or pocket) same photoresist	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:33
	0	(parasitic near3 junction) same (halo) same photoresist	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:33
	2	(parasitic near3 junction) same (punch or pocket) same photoresist	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:02
	0	(photoresis with block\$4 with (ion or ions or dopant or dopants or impurity or impurities)) same (high adj speed or parasitic adj junction or concentration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:25
	73	(photoresist with block\$4 with (ion or ions or dopant or dopants or impurity or impurities)) same (high adj speed or parasitic adj junction or concentration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:14

	70	(photoresist with stop\$4 with (ion or ions or dopant or dopants or impurity or impurities)) same (high adj speed or parasitic adj junction or concentration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:25
	66	((photoresist with stop\$4 with (ion or ions or dopant or dopants or impurity or impurities)) same (high adj speed or parasitic adj junction or concentration)) not ((photoresist with block\$4 with (ion or ions or dopant or dopants or impurity or impurities)) same (high adj speed or parasitic adj junction or concentration))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:14
	2	6087210.URPN.	USPAT	2004/05/11 18:16
	2372	(photoresist with (ion or ions or dopant or dopants or impurity or impurities)) same (high adj speed or parasitic adj junction or concentration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:26
	1144	(photoresist with (ion or ions or dopant or dopants or impurity or impurities)) with (high adj speed or parasitic adj junction or concentration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:27
	1065	(photoresist near15 (ion or ions or dopant or dopants or impurity or impurities)) with (high adj speed or parasitic adj junction or concentration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:27
	935	(photoresist near15 (ion or ions or dopant or dopants or impurity or impurities)) near15 (high adj speed or parasitic adj junction or concentration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:27
	365	(halo or pocket or punch or stop\$4) and ((photoresist near15 (ion or ions or dopant or dopants or impurity or impurities)) near15 (high adj speed or parasitic adj junction or concentration))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:29
	131	(halo or pocket or punch) and ((photoresist near15 (ion or ions or dopant or dopants or impurity or impurities)) near15 (high adj speed or parasitic adj junction or concentration))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:51
	2	("6037107").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:51
	19	(parasitic adj junction adj capacitance) with (high adj speed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 13:07
	944	(photoresist or resist) near15 (ldd)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 19:56
	615	(photoresist or resist) near15 (halo or pocket)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 19:44
	28	((photoresist or resist) near15 (ldd)) and ((photoresist or resist) near15 (halo or pocket))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 19:44

	72	ldd and ((photoresist or resist) near15 (halo or pocket))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:55
	13	((5837591") or ("5565708") or ("6248640") or ("6534357") or ("20020153552") or ("20040048467") or ("20030047734")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:24
	9968	halo.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:55
	60	photoresist and halo.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 13:05
	34	photoresist and pocket.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 12:56
	77	resist and halo.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:03
	2962	(438/291,302,305,306).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:05
	0	("halo or pocket or punch or stop\$4) and 3".PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:06
	1145	(halo or pocket or punch or stop\$4) and ((438/291,302,305,306).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:12
	18495377	@ad<19991129	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:20
	760563	@rlad<19991129	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:21
	771	@ad<19991129 and ((halo or pocket or punch or stop\$4) and ((438/291,302,305,306).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:21
	239	@rlad<19991129 and ((halo or pocket or punch or stop\$4) and ((438/291,302,305,306).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:21
	831	(@ad<19991129 and ((halo or pocket or punch or stop\$4) and ((438/291,302,305,306).CCLS.))) (@rlad<19991129 and ((halo or pocket or punch or stop\$4) and ((438/291,302,305,306).CCLS.)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 17:51

	654	photoresist with ldd	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/05/13 17:52
	6	5817563.URPN.		2004/05/13 18:11
	4	("4366613"   "4728617"   "4818714"   "4908326").PN.	USPAT	2004/05/13 18:11